

---

**SURFACE ACTIVATOR**

---

Date:03/04/08

Page 1 of 1

**Technical Data:**

Base	Solvents and special activating agents
Consistency	Liquid
Specific Gravity	0,78g/mL
Flashpoint	13°C

**Product:**

Surface Activator is at the same time a cleaner, degreaser and primer. Soudal Surface Activator will activate non porous surfaces such as plastics, coatings and metals for improved adhesion of sealants based on silicone, polyurethane and MS-Polymers®

**Characteristics:**

- Liquid, easy application
- To be used as cleaner and primer on non porous surfaces
- Suitable for silicone-, polyurethane and MS Polymer® based sealants and adhesives

**Applications:**

Preparation of plastics, powdercoatings and other non porous surfaces before bonding and sealing

**Packaging:**

*Colour:* transparent

*Packaging:* tin 500mL, 1L, larger packagings on request

**Shelflife:**

6 months in unopened packaging in a cool and dry storage place at temperatures between +5°C and +25°.

**Surfaces:**

*Type:* all non porous surfaces

We recommend a preliminary compatibility test.

**Application:**

*Method:* apply with a clean cloth

*Recommendation:* Apply in one direction. Replace cloth regularly in order to avoid contamination of the surfaces. By doing so the surface is cleaned, degreased and activated for the application of a sealant. Leave to evaporate for 5 minutes. Apply sealant/adhesive and not later than 2 hours immediately after evaporation.

**Health- and Safety Recommendation:**

Apply the usual industrial hygiene.

Wear gloves and goggles.

Remark: The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsibility for the results obtained. In every case it is recommended to carry out preliminary experiments.